

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *AQUASTOP FLEX PARTE A*
- **Article number:** K0161.032
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the preparation:** Hydrophobing agent/ water repellent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KERAKOLL Pty Ltd.
88 Sutton Street, North Melbourne VIC 3051
Tel. +61 3 9448 8588
sales@kerakoll.com.au
- **E-mail address of the competent person responsible for the SDS:** safety@kerakoll.com
- **Informing department:** Product safety department
- **1.4 Emergency telephone number:**
+61 3 9448 8588 (Kerakoll AU)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Portland Cement
(Contain reducing agents: Cr VI < 0,0002%)
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

Trade name: **AQUASTOP FLEX PARTE A**

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards**- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures**- Description:** Mixture consisting of the following components.**- Dangerous components:**

CAS: 65997-15-1	Portland Cement	25-50%
EINECS: 266-043-4	(Contain reducing agents: Cr VI < 0,0002%)	
	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures**- After inhalation** In case of unconsciousness bring patient into stable side position for transport.**- After skin contact** Instantly wash with water and soap and rinse thoroughly.**- After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.**- After swallowing** In case of persistent symptoms consult doctor.**- 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**- Suitable extinguishing agents** Use fire fighting measures that suit the environment.**- 5.2 Special hazards arising from the substance or mixture**

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters**- Protective equipment:** Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

Trade name: **AQUASTOP FLEX PARTE A**

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of dust.
- **Information about protection against explosions and fires:** Keep breathing equipment ready.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

65997-15-1 Portland Cement

(Contain reducing agents: Cr VI < 0,0002%)

WEL	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
-----	---

- **Additional information:** The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls

- Personal protective equipment

- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not necessary if room is well-ventilated.

- Protection of hands:

Protective gloves.
Impervious gloves

- Material of gloves

Rubber gloves
PVC or PE gloves

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed safety glasses.

(Contd. on page 4)

EN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

Trade name: **AQUASTOP FLEX PARTE A**

(Contd. of page 3)

- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Powder

Colour: Grey

- Odour: Odourless

- Odour threshold: Not determined.

- pH-value at 20 °C: 11

- Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

- Flash point: Not applicable

- Inflammability (solid, gaseous) Not determined.

- Ignition temperature:

Decomposition temperature: Not determined.

- Self-inflammability: Product is not selfigniting.

- Explosive properties: Product is not explosive.

- Critical values for explosion:

Lower: Not determined.

Upper: Not determined.

- Vapour pressure: Not applicable.

- Density at 20 °C 1.28 g/cm³

- Relative density Not determined.

- Vapour density Not applicable.

- Evaporation rate Not applicable.

- Solubility in / Miscibility with

Water: Soluble

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Organic solvents: 0.0 %

- 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known

- 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

Trade name: **AQUASTOP FLEX PARTE A**

(Contd. of page 5)

- ADR, ADN, IMDG, IATA	Void
- 14.2 UN proper shipping name	
- ADR, ADN, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
- ADR, ADN, IMDG, IATA	
- Class	Void
- 14.4 Packing group	
- ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	
- Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII**
The product contains Cr(VI) below limit set out in Annex XVII, entry 47
- **National regulations**
The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.
- **Additional classification according to Decree on Hazardous Materials, Annex II: -**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
Directive 2003/53/EC. For the maintenance of the reducing agent activity, see condition and conservation time indicated on the pack.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Relevant phrases**
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
- **Department issuing data specification sheet:** SCP
- **Contact:** Dr. B. Brina c/o Kerakoll S.p.A. tel. +39-0536-816511 fax +39-0536-816581
- **Others regulations**
The safety data sheet has been drawn up in accordance with European directives 1999/45/EC, 2001/58/EC, 2001/59/EC and 2001/60/EC.
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2019

version n°2

Revision: 08.06.2019

Trade name: AQUASTOP FLEX PARTE A

(Contd. of page 6)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- * **Data compared to the previous version altered.**

EN